


Gas valve

SIT GAS VALVE - COMBINED GAS VALVE (contd...)

0.837 TANDEM

Gas valve with 2 solenoid valves and 1 continuous electric modulator



Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
F1/2 x F1/2 - Inlet pressure 60 mbars - Voltage 220/16 - Features : Continuous modulator 16V							
0.837.011	5/37	-	-	no	no	OCEAN - SAUNIER DUVAL - BERETTA - DEVILLE	106950
F1/2 x F1/2 - Inlet pressure 60 mbars - Voltage 220/28 - Features : Continuous modulator 28V							
0.837.013	5/37	-	-	no	no	EUROTHERM - LAZZARI - RADI - STYX ALLIANCE- ARCA - ARISTON	106958
F1/2 x F1/2 - Inlet pressure 60 mbars - Voltage 24/28 - Features : Continuous modulator 28V							
0.837.014	2/20	-	-	non	non	BERETTA - RIELLO 	106649

SIT COMBINED GAS VALVE ACCESSORIES

THERMOSTATIC BULB for MINISIT GAS VALVE



Type	Description	Ref
0.928.027	Thermostatic bulb 13 to 38°C for MINISIT PLUS radiator	106682
0.928.582	Thermostatic bulb 100 to 340°C for MINISIT PLUS over	106676
0.928.566	Thermostatic bulb 60 to 200°C for MINISIT PLUS fryer	106677
0.928.567	Thermostatic bulb 30 to 100°C for MINISIT PLUS bain-marie	106675

COVER for MINISIT GAS VALVE



Type	Description	Ref
0.903.052 / 0.916.124	Capot et bouton sans piezo pour MINISIT PLUS	106690
0.073.208	Capot et piezo pour MINISIT PLUS	106691

FLANGE GASKET for ELETROSIT - NOVA GAS VALVE



Type	Description	Ref
0.925.026	ELETROSIT flange gasket Ø int.28 mm x Ø ext.37 mm	414086
0.925.054	Joint de bride NOVA Ø int.33 mm x Ø ext.37 mm	106645

REGULATOR for EUROSIT GAS VALVE



Type	Description	Ref
0.907.630	Regulator 3/18 mbar for EUROSIT	106646

PILOT PLUG for SIT GAS VALVE



Type	Description	Ref
0.916.124	Pilot burner plug for SIT 0.82... - 0.83...	106936

THÉOBALD GAS VALVE - COMBINED GAS VALVE

BCE881

Gas valve with 2 control snoks for start and stop - 1 flow regulator and 1 solenoid valve



Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
Flange 881F5 x Flange 881F5 - Intel pressure 50 mbars - Voltage 220V							
BCE881 GN	0/50	-	-	M8	yes	-	106508
BC881 GPL	0/50	-	-	M8	yes	-	106511

BCE891

Bloc gaz avec 1 bouton de commande pour démarrage et arrêt, 1 régulateur de pression et 1 électrovanne



Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
Flange 881F5 x Flange 881F5 - Intel pressure 50 mbars - Voltage 220V							
BCE891 GN	5/26	-	-	M8	yes	-	106509

BC7881



Gas valve with 1 control knob for start and stop - 1 pressure regulator, 1 thermostatic knob
(This gas valve can replace old type B841 with regulation valve type S)

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
Bride 881F5 x bride 881F5 - Pression entrée 50 mbars								
BC7881 GN	0/50	-	-	M8	yes	30/90°C	FRISQUET - STYX	106501
BC7881 BP	0/50	-	-	M8	yes	30/90°C	FRISQUET - STYX	106500

BC7891



Gas valve with 1 control knob for start and stop - 1 pressure regulator, 1 thermostatic knob
(This gas valve can replace old type B841 with regulation valve type P)

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
Flange 881F5 x Flange 881F5 - Inlet pressure 50 mbars								
BC7891 GN	5/26	-	-	M8	yes	30 / 90°C	-	106520

BCX881



Gas valve with 1 control knob for start and stop - 1 flow regulator, 1 thermostatic knob
(This gas valve can replace old type B841 with regulation valve type S)

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
Flange 881F5 x Flange 881F5 - Inlet pressure 50 mbars								
BCX881 GN	0/50	-	-	M8	yes	-	-	106512

BCX891



Gas valve with 1 control knob for start and stop - 1 pressure regulator, 1 thermostatic knob
(This gas valve can replace old type B841 with regulation valve type P)

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
Flange 881F5 x Flange 881F5 - Inlet pressure 50 mbars								
BCX891 GN	5/26	-	-	M8	yes	-	-	106513

BF885



Gas valve with 1 control knob for start and stop and 1 solenoid valve

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
F3/4 x F3/4 - Inlet pressure 50 mbars - Voltage 220V - Features : microswitch with leads								
BF885 SP 02	0/50	-	-	M8	yes	-	WATERBURY - AIRCAL - EMAT	106502



Gas valve with 1 control knob for start and stop and 1 solenoid valve

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
Flange 881F5 x Flange 881F5 - Inlet pressure 50 mbars - Voltage 220V - Features : Pilot outlet calibrated 38GN								
BF885-09 GN	0/50	-	-	M8	yes	-	FRISQUET	106503
Flange 881F5 x Flange 881F5 - Inlet pressure 50 mbars - Voltage 220V - Features : Pilot outlet calibrated 30GPL								
BF885-10 GPL	0/50	-	-	M8	yes	-	FRISQUET	106505

BC90



Gas valve with 2 solenoid valves - Pressure switch - soft opening

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
Flange 740F3 x Flange 740F3 - Inlet pressure 50 mbars - Voltage 220V								
BC90-12	0/50	-	-	no	no	-	ELCO - CUENOD - IDÉAL STD ZAEGEL HELD	106506

TK



Gas valve with 2 solenoid valves - no regulator

Type	Outlet pressure mbar	Operator	Regulator n°1	Thread therm.	Pilot Outlet	Range T°	Application	Ref
Flange 24mm x Flange 24mm - Inlet pressure 65 mbars - Voltage 220V								
TK25	0/65	-	-	no	no	-	DIFOTHERM - ELCO - FRISQUET	106514

Gas valve

THÉOBALD GAS VALVE - COMBINED GAS VALVE (contd...)

TK



Gas valve with 2 solenoid valves and pressure regulator

Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
Flange 24mm x Flange 24mm - Inlet pressure 65 mbars - Voltage 220V							
TK25S	15/30	-	-	no	no	GEMINOX - S PLUS - STYX	106515



Gas valve with 2 solenoid valves - 1 hydraulic valve - no regulator (replaces TK25L)

Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
Flange 24mm x Flange 24mm - Inlet pressure 65 mbars - Voltage 220V							
TK25H	0/65	-	-	no	no	FRISQUET	106516



Gas valve with 2 solenoid valves and flow regulator

Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
Flange 24mm x Flange 24mm - Inlet pressure 65 mbars - Voltage 220V							
TK25R	0/65	-	-	no	no	GEMINOX - EWFE	106517

VALVE P



Regulation valve available until stock outage

Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
Flange 740F3 x Flange 740F3 - Inlet pressure 30 mbars							
P740	0/20	-	-	no	no	-	106260

7b

THÉOBALD GAS VALVE ACCESSORIES

THERMOSTAT - SOLENOID VALVE - COIL - MICROSWITCH



Type	Description	Pos	Ref
T865	Thermostat for gas valve BCT881-891 (1)	1	106530
EV854	Solenoid valve for circuit by-pass (2)	2	106400
854A1	Coil for EV854 (3)	3	106580

MATING FLANGE - KNOB



Type	Description	Ref
F740F3	Mating flange diam.15/21 (1/2)	106291
881F5	Mating flange diam.20/27 (3/4)	106292
742F3	Mating flange diam.26/34 (1)	106293
	Knob for T652	434003
	Knob for CG630	434008

TIME GAS VALVE - COMBINED GAS VALVE

T9300A200



Gas valve with 2 solenoid valves and modulating pressure regulator

Type	Outlet pressure mbar	Operator	Regulator n° 1	Thread therm.	Pilot Outlet	Application	Ref
B24 x B24 - Inlet pressure 60 mbars - Solenoid valve voltage 220V - Regulator voltage 20Vdc							
T9300A200	1.2/27	-	-	no	no	FERROLI	450037